

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L6</b>	<b>6</b>	<b>(5,968,116 5,968,124 6,125,390 6,145,001 6,219,708 6,226,666).pn.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>2</b>	<b>L7</b>	<b>20341</b>	<b>network near2 management</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>3</b>	<b>L8</b>	<b>25905</b>	<b>network near2 (management or managing or manager)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>4</b>	<b>L9</b>	<b>11551 78</b>	<b>proxy or agent</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>5</b>	<b>L10</b>	<b>56210</b>	<b>email or e-mail or electronic adj mail</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>6</b>	<b>L11</b>	<b>2561</b>	<b>8 and 9 and 10</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>7</b>	<b>L12</b>	<b>16</b>	<b>8 with 9 with 10</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>8</b>	<b>L13</b>	<b>939</b>	<b>11 and snmp</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>9</b>	<b>L14</b>	<b>225</b>	<b>(snmp or simple adj network adj management adj protocol) with (email or e-mail or electronic adj mail)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>10</b>	<b>L15</b>	<b>110</b>	<b>11 and 14</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>11</b>	<b>L16</b>	<b>82</b>	<b>8 same 9 same 10</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>12</b>	<b>L17</b>	<b>15</b>	<b>14 and 16</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>13</b>	<b>L19</b>	<b>40</b>	<b>16 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>14</b>	<b>L20</b>	<b>6</b>	<b>12 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>15</b>	<b>L18</b>	<b>22</b>	<b>15 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>16</b>	<b>L21</b>	<b>17</b>	<b>(6 18 19) and (ack or acknowledg\$5)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>17</b>	<b>L22</b>	<b>184</b>	<b>709/223,224.ccls. and 709/202.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>18</b>	<b>L23</b>	<b>2194</b>	<b>709/206.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>19</b>	<b>L24</b>	<b>7</b>	<b>22 and 23</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>20</b>	<b>L25</b>	<b>1943</b>	<b>709/223,224,202,206.ccls. and (management or manager).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>21</b>	<b>L26</b>	<b>304</b>	<b>25 and (agent or proxy).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>22</b>	<b>L27</b>	<b>190</b>	<b>26 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>23</b>	<b>L28</b>	<b>38</b>	<b>27 and (email or e-mail or electronic adj mail)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>24</b>	<b>L29</b>	<b>214</b>	<b>snmp and acknowledg\$5 and smtp and (network or remote) near3 manage\$5</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>25</b>	<b>L30</b>	<b>187</b>	<b>29 and (proxy or agent)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>26</b>	<b>L31</b>	<b>80</b>	<b>30 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>27</b>	<b>L32</b>	<b>231</b>	<b>(manag\$6 or snmp).ti. and (email or e-mail or electronic adj (mail or message)).ti.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>28</b>	<b>L33</b>	<b>4</b>	<b>32 and (proxy or agent).ti,ab,clm.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>29</b>	<b>L34</b>	<b>2</b>	<b>32 and (709/223,224,226.ccls.)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>30</b>	<b>L35</b>	<b>2</b>	<b>(conver\$4 near3 snmp near4 (email or e-mail or electronic adj mail or smtp))</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>31</b>	<b>L36</b>	<b>304</b>	<b>snmp same (remote\$2 near3 (control\$4 or configur\$5))</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>32</b>	<b>L37</b>	<b>143</b>	<b>snmp same (remote\$2 near3 (control\$4 or configur\$5)) same (node or device or entity)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>33</b>	<b>L38</b>	<b>63</b>	<b>37 and (email or e-mail or electronic adj mail)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>34</b>	<b>L39</b>	<b>5</b>	<b>38 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>35</b>	<b>L40</b>	<b>127</b>	<b>36 and (email or e-mail or electronic adj mail)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>36</b>	<b>L41</b>	<b>41</b>	<b>40 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>37</b>	<b>L42</b>	<b>39</b>	<b>41 and (agent or proxy or 709/202.ccls.)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>38</b>	<b>L43</b>	<b>29</b>	<b>42 and (confirm\$5 or acknowledg\$5)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>39</b>	<b>L44</b>	<b>2908</b>	<b>(snmp or simple adj network adj management adj protocol or (network near2 manag\$5)).ti.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>40</b>	<b>L45</b>	<b>283</b>	<b>44 and (mail or e-mail or email)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>41</b>	<b>L46</b>	<b>135</b>	<b>45 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>42</b>	<b>L47</b>	<b>52</b>	<b>44 and (mail or e-mail or email).ti,ab,clm.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>43</b>	<b>L48</b>	<b>20</b>	<b>47 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>44</b>	<b>L49</b>	<b>142</b>	<b>(709/223,224.ccls. and 709/202.ccls.) and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>45</b>	<b>L50</b>	<b>7573</b>	<b>(snmp or simple adj network adj management adj protocol or (network near2 manag\$5)).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>46</b>	<b>L51</b>	<b>52244 4</b>	<b>(agent or proxy).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>47</b>	<b>L52</b>	<b>56210</b>	<b>email or e-mail or electronic adj mail</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>48</b>	<b>L53</b>	<b>54</b>	<b>50 and 51 and 52</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>49</b>	<b>L54</b>	<b>29</b>	<b>53 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>50</b>	<b>L57</b>	<b>1</b>	<b>(conver\$4) near3 snmp near3 (email or e-mail or smtp or mail)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>51</b>	<b>L58</b>	<b>7640</b>	<b>(mail adj server) or (email or e-mail) adj server</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>52</b>	<b>L59</b>	<b>11551 78</b>	<b>proxy or agent</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>53</b>	<b>L60</b>	<b>46910 1</b>	<b>confirm\$5 or acknowledg\$5 or ack</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>54</b>	<b>L61</b>	<b>36064</b>	<b>network near4 (monitor\$4 or instruction or command)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>55</b>	<b>L62</b>	<b>309</b>	<b>58 and 59 and 60 and 61</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>56</b>	<b>L63</b>	<b>125</b>	<b>62 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>57</b>	<b>L64</b>	<b>94764</b>	<b>(remot\$4 or network) near3 (manag\$5 or configur\$5 or monitor\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>58</b>	<b>L65</b>	<b>11356</b>	<b>(command or instruction) near6 (send\$3 or sent) with (internet or network or remote\$2)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>59</b>	<b>L66</b>	<b>3998</b>	<b>(command or instruction) near6 (send\$3 or sent) with (manage\$4 or administrator)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>60</b>	<b>L67</b>	<b>49</b>	<b>(command or instruction) near6 (send\$3 or sent) with (manage\$4 or administrator) with (email or e-mail or electronic adj mail)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>61</b>	<b>L68</b>	<b>49</b>	<b>(command or instruction) near6 (send\$3 or sent) with (manage\$4 or administrator) with (email or e-mail or electronic adj mail or smtp)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>62</b>	<b>L69</b>	<b>1017</b>	<b>(command or instruction) near6 (send\$3 or sent) with (email or e-mail or electronic adj mail or smtp)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>63</b>	<b>L70</b>	<b>121</b>	<b>64 and 65 and 69</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>64</b>	<b>L71</b>	<b>36</b>	<b>70 and (proxy or agent)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>65</b>	<b>L72</b>	<b>12</b>	<b>71 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>66</b>	<b>L73</b>	<b>5630</b>	<b>709/223,224.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>67</b>	<b>L74</b>	<b>2772</b>	<b>73 and (@ad&lt;20000523 or @prad&lt;20000523)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>68</b>	<b>L75</b>	<b>209</b>	<b>74 and (smtp or mail adj server)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>69</b>	<b>L76</b>	<b>214</b>	<b>74 and (smtp or (mail or email or e-mail) adj server)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>70</b>	<b>L77</b>	<b>45</b>	<b>"5819110"</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>71</b>	<b>L78</b>	<b>7</b>	<b>709/223,224.ccls. and 709/206.ccls. and 709/202.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>